

Author Index of Volume 171

- Akhmadeev, N. A., 143
Alyoshin, G., 163
Andrieu, E., 191
- Bartels, A., 127
Beckerman, C., 199
Bhadeshia, H. K. D., 223
- Castillo-Gomez, J. R., 35
Chawla, K. K., 249
Choi, S. R., 77
Chokshi, A. H., 47
- Doong, J. L., 213
- Ebrahimi, F., 35
Ellyin, F., 105
Es-Souni, M., 127
Faulkner, R. G., 241
Fujikawa, S. I., 151
- Ghonem, H., 191
Gibeling, J. C., 115
Gotman, I., 271
Gray, III, G. T., 181
Groza, J. R., 115
Gutmanas, E. Y., 271
- Herlach, D. M., 169
Hoelzer, D. T., 35
- Hong, S. I., 181
Hwang, J. R., 213
- Jeng, S. M., 65
Jo, H. H., 151
- Kassam, Z. H. A., 55
Kaysser, W. A., 271
- Lai, M. O., 13, 21, 257
Lee, J.-L., 223
Lewis, C. A., 1
Li, B., 105
Li, X., 249
Lim, L. C., 13, 21
Little, E. A., 241
Lu, L., 257
- Ma, J., 13
Madsen, A., 191
Miao, B., 13, 21
Mikhailov, S. B., 143
Mishin, Y., 163
Mogilevsky, P., 271
Morgan, T. S., 241
Mukherjee, A. K., 47
Mulyukov, R. R., 143
- Noat, P., 163
Northwood, D. O., 13, 21
- Ocansey, P., 231
Orekhov, N., 163
- Pelletier, J. M., 263
Perng, C. C., 213
Poirier, D. R., 231
- Razumovskii, I., 163
Rios, P. R., 175
- Sallamand, P., 263
Sastry, S. M. L., 95
Sharma, S. C., 169
Soboyejo, W. O., 95
Stobbs, W. M., 1
- Tikare, V., 77
- Valiev, R. Z., 143
Vecchio, K. S., 181
Volkmann, T., 169
- Wagner, R., 127
Waite, N. C., 241
Wang, C. Y., 199
Wang, Z., 55, 85
Withers, P. J., 1
- Xu, Z. R., 249
- Yang, J. M., 65
- Zhang, J., 85, 257

Subject Index of Volume 171

Aging

- microstructural changes during aging of a near- α titanium alloy, 191

Air

- crack initiation and fatigue lives in air and vacuum environments, 105

Alloys

- a unified solute diffusion model for columnar and equiaxed dendritic alloy solidification, 199
- creep deformation and creep microstructures of a near γ -TiAl alloy Ti-48Al-2Cr, 127
- Cu-based shape memory powder preparation using the mechanical alloying technique, 257
- internal stress induced debonding in a zirconia-reinforced 6061 aluminium alloy composite, 1
- kinetics of precipitation in Al-Sc alloys and low temperature solid solubility of scandium in aluminium studied by electrical resistivity measurements, 151
- laser cladding on aluminium-based alloys: microstructural features, 263
- microstructural changes during aging of a near- α titanium alloy, 191
- model of diffusion coarsening of the raft structure in single crystals of nickel-base superalloys, 163
- quasi-stoichiometric coarsening of f.c.c. carbides in microalloyed austenite containing niobium and vanadium, 175
- radiation-induced grain boundary segregation in dilute alloys, 241
- short fatigue growth and J - R curve behavior of the particulate Al_2O_3 -reinforced Al(2014) alloy, 85

Alumina

- crack healing of alumina with a residual glassy phase: strength, fracture toughness and fatigue, 77
- effect of high temperature exposure on the tensile strength of alumina fiber Nextel 610, 249

Aluminium

- creep deformation and creep microstructures of a near γ -TiAl alloy Ti-48Al-2Cr, 127
- fracture toughness of $\sigma + x$ microstructures in the Nb-Ti-Al system, 35
- high strain rate tensile properties of an (Al_2O_3 particles)-(Al alloy 6061-T6) metal matrix composite, 213
- internal stress induced debonding in a zirconia-reinforced 6061 aluminium alloy composite, 1
- kinetics of precipitation in Al-Sc alloys and low temperature solid solubility of scandium in aluminium studied by electrical resistivity measurements, 151
- laser cladding on aluminium-base alloys: microstructural features, 263
- microstructural development in drop-tube-solidified Al-3.6wt.%Fe droplets: an analysis, 169
- quenching and thermal cycling effects in a 1060-Al matrix-10vol.% Al_2O_3 particulate reinforced metal matrix composite, 181
- short fatigue growth and J - R curve behavior of the particulate Al_2O_3 -reinforced Al(2014) alloy, 85

Austenite

- quasi-stoichiometric coarsening of f.c.c. carbides in microalloyed austenite containing niobium and vanadium, 175

Bauschinger effect

- Bauschinger effect in a modified Zr-2.5wt.%Nb pressure tube material, 55

Boron

- microstructure and thermal stability of coatings obtained by interaction of SiC and B_4C with Cr and Ti powders, 271

Carbides

- quasi-stoichiometric coarsening of f.c.c. carbides in microalloyed austenite containing niobium and vanadium, 175

Carbon

- creep behavior and damage mechanisms of SiC-fiber-reinforced titanium matrix composite, 65
- microstructure and thermal stability of coatings obtained by interaction of SiC and B_4C with Cr and Ti powders, 271

Cavitation

- the influence of hydrostatic pressure on grain boundary sliding in superplasticity: implications for cavitation, 47

Chromium

- creep deformation and creep microstructures of a near γ -TiAl alloy Ti-48Al-2Cr, 127

Coarsening

- model of diffusion coarsening of the raft structure in single crystals of nickel-base superalloys, 163
- quasi-stoichiometric coarsening of f.c.c. carbides in microalloyed austenite containing niobium and vanadium, 175

Composites

- high strain rate tensile properties of an (Al_2O_3 particles)-(Al alloy 6061-T6) metal matrix composite, 213
- internal stress induced debonding in a zirconia-reinforced 6061 aluminium alloy composite, 1
- quenching and thermal cycling effects in a 1060-Al matrix-10vol.% Al_2O_3 particulate reinforced metal matrix composite, 181

Copper

- Cu-based shape memory powder preparation using the mechanical alloying technique, 257
- principles of particle selection for dispersion-strengthened copper, 115
- strain amplitude dependence of internal friction and strength of submicrometre-grained copper, 143

Cracking

- crack healing of alumina with a residual glassy phase: strength, fracture toughness and fatigue, 77
- crack initiation and fatigue lives in air and vacuum environments, 105

Creep

- creep behavior and damage mechanisms of SiC-fiber-reinforced titanium matrix composite, 65
- creep deformation and creep microstructures of a near γ -TiAl alloy Ti-48Al-2Cr, 127

- Crystals**
model of diffusion coarsening of the raft structure in single crystals of nickel-base superalloys, 163
- Damage**
creep behavior and damage mechanisms of SiC-fiber-reinforced titanium matrix composite, 65
- Debonding**
internal stress induced debonding in a zirconia-reinforced 6061 aluminium alloy composite, 1
- Deformation**
creep deformation and creep microstructures of a near γ -TiAl alloy Ti-48Al-2Cr, 127
- Dendrites**
a unified solute diffusion model for columnar and equiaxed dendritic alloy solidification, 199
- Diffusion**
a unified solute diffusion model for columnar and equiaxed dendritic alloy solidification, 199
model of diffusion coarsening of the raft structure in single crystals of nickel-base superalloys, 163
- Dispersion strengthening**
principles of particle selection for dispersion-strengthened copper, 115
- Drop tube solidification**
microstructural development in drop-tube-solidified Al-3.6wt.%Fe droplets: an analysis, 169
- Ductility**
an investigation of the effects of ductile phase reinforcement on the mechanical behavior of advanced high temperature intermetallics, 95
- Electrical resistivity**
kinetics of precipitation in Al-Sc alloys and low temperature solid solubility of scandium in aluminium studied by electrical resistivity measurements, 151
- Fatigue**
crack healing of alumina with residual glassy phase: strength, fracture toughness and fatigue, 77
crack initiation and fatigue lives in air and vacuum environments, 105
short fatigue growth and J - R curve behavior of the particulate Al_2O_3 -reinforced Al(2014) alloy, 85
- Fibre reinforcement**
creep behavior and damage mechanisms of SiC-fiber-reinforced titanium matrix composite, 65
- Fibres**
effect of high temperature exposure on the tensile strength of alumina fiber Nextel 610, 249
- Fracture**
fracture toughness of $\sigma + x$ microstructures in the Nb-Ti-Al system, 35
- Fracture toughness**
crack healing of alumina with a residual glassy phase: strength, fracture toughness and fatigue, 77
- Friction**
strain amplitude dependence of internal friction and strength of submicrometre-grained copper, 143
- Glassy phase**
crack healing of alumina with a residual glassy phase: strength, fracture toughness and fatigue, 77
- Grain boundary segregation**
radiation-induced grain boundary segregation in dilute alloys, 241
- Grain boundary sliding**
the influence of hydrostatic pressure on grain boundary sliding in superplasticity: implications for cavitation, 47
- High temperature exposure**
effect of high temperature exposure on the tensile strength of alumina fiber Nextel 610, 249
- Hydrostatic pressure**
the influence of hydrostatic pressure on grain boundary sliding in superplasticity: implications for cavitation, 47
- Intermetallics**
an investigation of the effects of ductile phase reinforcement on the mechanical behavior of advanced high temperature intermetallics, 95
- Iron**
microstructural development in drop-tube-solidified Al-3.6wt.%Fe droplets: an analysis, 169
- Laser cladding**
laser cladding on aluminium-base alloys: microstructural features, 263
- Mechanical alloying**
Cu-based shape memory powder preparation using the mechanical alloying technique, 257
- Mechanical behavior**
an investigation of the effects of ductile phase reinforcement on the mechanical behavior of advanced high temperature intermetallics, 95
- Metal matrix composites**
high strain rate tensile properties of an (Al_2O_3 particles)-(Al alloy 6061-T6) metal matrix composite, 213
quenching and thermal cycling effects in a 1060-Al matrix-10vol.% Al_2O_3 particulate reinforced metal matrix composite, 181
- Mushy zones**
permeability for flow of liquid through equiaxial mushy zones, 231
- Nextel 610**
effect of high temperature exposure on the tensile strength of alumina fiber Nextel 610, 249
- Nickel**
model of diffusion coarsening of the raft structure in single crystals of nickel-base superalloys, 163
- Niobium**
Bauschinger effect in a modified Zr-2.5wt.%Nb pressure tube material, 55
fracture toughness of $\sigma + x$ microstructures in the Nb-Ti-Al system, 35
quasi-stoichiometric coarsening of f.c.c. carbides in microalloyed austenite containing niobium and vanadium, 175
- Oxygen**
high strain rate tensile properties of an (Al_2O_3 particles)-(Al alloy 6061-T6) metal matrix composite, 213
quenching and thermal cycling effects in a 1060-Al matrix-10vol.% Al_2O_3 particulate reinforced metal matrix composite, 181
short fatigue growth and J - R curve behavior of the particulate Al_2O_3 -reinforced Al(2014) alloy, 85
- Particle selection**
principles of particle selection for dispersion-strengthened copper, 115

- Permeability**
permeability for flow of liquid through equiaxial mushy zones, 231
- Phase reinforcement**
an investigation of the effects of ductile phase reinforcement on the mechanical behavior of advanced high temperature intermetallics, 95
- Plasticity**
the influence of hydrostatic pressure on grain boundary sliding in superplasticity: implications for cavitation, 47
- Powders**
microstructure and thermal stability of coatings obtained by interaction of SiC and B₄C with Cr and Ti powders, 271
- Precipitation**
kinetics of precipitation in Al-Sc alloys and low temperature solid solubility of scandium in aluminium studied by electrical resistivity measurements, 151
- Quenching**
quenching and thermal cycling effects in a 1060-Al matrix-10vol.%Al₂O₃ particulate reinforced metal matrix composite, 181
- Radiation**
radiation-induced grain boundary segregation in dilute alloys, 241
- Raft structures**
model of diffusion coarsening of the raft structure in single crystals of nickel-base superalloys, 163
- Scandium**
kinetics of precipitation in Al-Sc alloys and low temperature solid solubility of scandium in aluminium studied by electrical resistivity measurements, 151
- Shape memory powders**
Cu-based shape memory powder preparation using the mechanical alloying technique, 257
- Silicon**
creep behavior and damage mechanisms of SiC-fiber-reinforced titanium matrix composite, 65
microstructure and thermal stability of coatings obtained by interaction of SiC and B₄C with Cr and Ti powders, 271
- Solidification**
a unified solute diffusion model for columnar and equiaxed dendritic alloy solidification, 199
- Solubility**
kinetics of precipitation in Al-Sc alloys and low temperature solid solubility of scandium in aluminium studied by electrical resistivity measurements, 151
- Stainless steel**
microstructure of tempered AISI 403 stainless steel, 21
tempering of AISI 403 stainless steel, 13
- Strain**
high strain rate tensile properties of an (Al₂O₃ particles)-(Al alloy 6061-T6) metal matrix composite, 213
strain amplitude dependence of internal friction and strength of submicrometre-grained copper, 143
- Strength**
crack healing of alumina with a residual glassy phase: strength, fracture toughness and fatigue, 77
- Stress**
internal stress induced debonding in a zirconia-reinforced 6061 aluminium alloy composite, 1
- Submicrometre graining**
strain amplitude dependence of internal friction and strength of submicrometre-grained copper, 143
- Tempering**
microstructure of tempered AISI 403 stainless steel, 21
tempering of AISI 403 stainless steel, 13
- Tensile properties**
high strain rate tensile properties of an (Al₂O₃ particles)-(Al alloy 6061-T6) metal matrix composite, 213
- Tensile strength**
effect of high temperature exposure on the tensile strength of alumina fiber Nextel 610, 249
- Thermal cycling**
quenching and thermal cycling effects in a 1060-Al matrix-10vol.%Al₂O₃ particulate reinforced metal matrix composite, 181
- Thermal stability**
microstructure and thermal stability of coatings obtained by interaction of SiC and B₄C with Cr and Ti powders, 271
- Titanium**
creep behavior and damage mechanisms of SiC-fiber-reinforced titanium matrix composite, 65
creep deformation and creep microstructures of a near γ -TiAl alloy Ti-48Al-2Cr, 127
fracture toughness of $\sigma + x$ microstructures in the Nb-Ti-Al system, 35
microstructural changes during aging of a near- α titanium alloy, 191
microstructure and thermal stability of coatings obtained by interaction of SiC and B₄C with Cr and Ti powders, 271
- TTT diagrams**
a methodology for the prediction of time-temperature-transformation diagrams, 223
- Vacuum**
crack initiation and fatigue lives in air and vacuum environments, 105
- Vanadium**
quasi-stoichiometric coarsening of f.c.c. carbides in microalloyed austenite containing niobium and vanadium, 175
- Zirconia**
internal stress induced debonding in a zirconia-reinforced 6061 aluminium alloy composite, 1
- Zirconium**
Bauschinger effect in a modified Zr-2.5wt.Nb pressure tube material, 55

